


11.2 W.. → DR/DT



W10, $n_e = 1400$ 1/min					DT56		25 Nm
n_a [1/min]	M_{amax} [Nm]	F_{Ra} [N]	φ (/R) [']	i			
19	25	1800	-	75.00*			
23	25	1800	-	60.00*			
29	25	1800	-	48.00*			
36	25	1800	-	39.00*			
43	25	1800	-	32.50*			
51	24	1800	-	27.50*			
57	25	1800	-	24.50*			
72	25	1800	-	19.50*			
85	20	1800	-	16.50*			
98	22	1800	-	14.33			
137	13	1800	-	10.25*			
171	12	1800	-	8.20*			
213	12	1720	-	6.57			


W20, $n_e = 1400$ 1/min					DR63 DT71		40 Nm
n_a [1/min]	M_{amax} [Nm]	F_{Ra} [N]	φ (/R) [']	i			
19	40	2200	-	75.00*			
23	40	2200	-	60.00*			
29	40	2200	-	48.00*			
36	40	2200	-	39.00*			
43	40	2200	-	32.50*			
51	40	2200	-	27.50*			
57	40	2200	-	24.50*			
72	35	2200	-	19.50*			
85	30	2200	-	16.50*			
98	30	2110	-	14.33			
137	25	1920	-	10.25*			
171	20	1830	-	8.20*			
213	20	1720	-	6.57			



W30, $n_e = 1400$ 1/min					DR63 DT71		DT80	70 Nm
n_a [1/min]	M_{amax} [Nm]	F_{Ra} [N]	φ (/R) [']	i				
19	70	3000	-	75.00*				
23	70	3000	-	60.00*				
29	70	3000	-	48.00*				
36	70	3000	-	39.00*				
43	70	3000	-	32.50*				
51	70	3000	-	27.50*				
57	70	3000	-	24.50*				
72	70	3000	-	19.50*				
86	60	3000	-	16.33				
98	60	3000	-	14.33				
137	50	2950	-	10.25*				
171	40	2810	-	8.20*				
213	40	2590	-	6.57				






11.3 W..D.. [kW]


P_m [kW]	n_a [1/min]	M_a [Nm]	i	$F_{Ra}^{1)}$ [N]	SEW f_B		m [kg]		
0.09	17	20	75.00*	1800	1.25				
	22	18	60.00*	1800	1.45				
	27	16	48.00*	1800	1.55				
	33	15	39.00*	1800	1.70				
	40	13	32.50*	1800	1.90				
	47	12	27.50*	1800	2.1	W 10	DT 56M4	5.3	485
	53	11	24.50*	1800	2.3	WF 10	DT 56M4	5.5	486
	67	9.4	19.50*	1800	2.7	WA 10	DT 56M4	5.3	487
	79	8.4	16.50*	1800	2.4	WAF 10	DT 56M4	5.5	486
	91	7.6	14.33	1800	2.9				
	127	5.8	10.25*	1800	2.2				
	159	4.8	8.20*	1800	2.5				
	198	4.0	6.57	1800	3.0				
	0.12	12	40	75.00*	3000	1.75	W 30	DR 63M6	9.1
15		38	60.00*	3000	1.85	WF 30	DR 63M6	9.4	492
28		25	32.50*	3000	2.8	WA 30	DR 63M6	8.8	493
33		24	27.50*	3000	3.0	WAF 30	DR 63M6	9.1	492
18		28	75.00*	3000	2.5				
23		26	60.00*	3000	2.7	W 30	DR 63S4	9.1	491
29		23	48.00*	3000	3.1	WF 30	DR 63S4	9.4	492
35		21	39.00*	3000	3.4	WA 30	DR 63S4	8.8	493
42		17	32.50*	3000	4.1	WAF 30	DR 63S4	9.1	492
12		36	75.00*	2200	1.10	W 20	DR 63M6	6.6	488
15		32	60.00*	2200	1.25	WF 20	DR 63M6	6.8	489
28		27	32.50*	2200	1.50	WA 20	DR 63M6	6.3	490
33		22	27.50*	2200	1.80	WAF 20	DR 63M6	6.3	489
18		25	75.00*	2200	1.60				
23		22	60.00*	2200	1.80				
29		20	48.00*	2200	1.95				
35		19	39.00*	2200	2.2				
42		18	32.50*	2200	2.2	W 20	DR 63S4	6.6	488
50		15	27.50*	2200	2.6	WF 20	DR 63S4	6.8	489
56		14	24.50*	2200	2.9	WA 20	DR 63S4	6.3	490
71		12	19.50*	2200	2.9	WAF 20	DR 63S4	6.3	489
84		10	16.50*	2200	2.9				
96		9.5	14.33	2200	3.2				
135		7.2	10.25*	2140	3.5				
168		5.9	8.20*	1990	3.4				
210		4.9	6.57	1890	4.1				
17		27	75.00*	1800	0.95				
22		23	60.00*	1800	1.05				
27	21	48.00*	1800	1.15					
33	20	39.00*	1800	1.30					
40	18	32.50*	1800	1.40					
47	16	27.50*	1800	1.55	W 10	DT 56L4	5.3	485	
53	15	24.50*	1800	1.70	WF 10	DT 56L4	5.5	486	
67	13	19.50*	1800	2.0	WA 10	DT 56L4	5.3	487	
79	11	16.50*	1800	1.80	WAF 10	DT 56L4	5.5	486	
91	10	14.33	1800	2.2					
127	7.7	10.25*	1800	1.70					
159	6.3	8.20*	1800	1.90					
198	5.3	6.57	1800	2.3					
0.18	12	62	75.00*	3000	1.15	W 30	DR 63L6	9.8	491
	15	58	60.00*	3000	1.20	WF 30	DR 63L6	10	492
	27	39	32.50*	3000	1.80	WA 30	DR 63L6	9.5	493
	32	37	27.50*	3000	1.90	WAF 30	DR 63L6	9.8	492




W..DR/DT
W..D.. [kW]

P_m [kW]	n_a [1/min]	M_a [Nm]	i	$F_{Ra}^{1)}$ [N]	SEW f_B		m [kg]		
0.18	18	44	75.00*	3000	1.60				
	22	40	60.00*	3000	1.75				
	28	35	48.00*	3000	2.0				
	34	32	39.00*	3000	2.2				
	41	27	32.50*	3000	2.6				
	48	25	27.50*	3000	2.8	W 30	DR 63M4	9.1	491
	54	23	24.50*	3000	3.0	WF 30	DR 63M4	9.4	492
	68	20	19.50*	3000	3.6	WA 30	DR 63M4	8.8	493
	81	17	16.33	3000	3.6	WAF 30	DR 63M4	9.1	492
	92	15	14.33	3000	3.9				
	129	12	10.25*	3000	4.3				
	161	9.5	8.20*	3000	4.2				
	201	7.9	6.57	2950	5.1				
	111	12	24.50*	3000	5.9				
	139	9.9	19.50*	3000	7.1	W 30	DR 63S2	9.1	491
	167	8.5	16.33	3000	7.1	WF 30	DR 63S2	9.4	492
	190	7.7	14.33	3000	7.8	WA 30	DR 63S2	8.8	493
	265	5.7	10.25*	2710	8.8	WAF 30	DR 63S2	9.1	492
	332	4.7	8.20*	2520	8.5				
	15	49	60.00*	2200	0.80	W 20	DR 63L6	7.3	488
32	35	27.50*	2200	1.15	WF 20	DR 63L6	7.4	489	
45	27	19.50*	2200	1.30	WA 20	DR 63L6	7.0	490	
					WAF 20	DR 63L6	7.0	489	
18	39	75.00*	2200	1.00					
22	34	60.00*	2200	1.15					
28	32	48.00*	2200	1.25					
34	29	39.00*	2200	1.40					
41	28	32.50*	2200	1.40	W 20	DR 63M4	6.6	488	
48	24	27.50*	2200	1.70	WF 20	DR 63M4	6.8	489	
54	22	24.50*	2200	1.85	WA 20	DR 63M4	6.3	490	
68	19	19.50*	2200	1.90	WAF 20	DR 63M4	6.3	489	
80	16	16.50*	2200	1.85					
92	15	14.33	2200	2.0					
129	11	10.25*	2110	2.2					
161	9.2	8.20*	1970	2.2					
201	7.7	6.57	1890	2.6					
111	11	24.50*	2200	3.6					
139	9.4	19.50*	2070	3.7	W 20	DR 63S2	6.6	488	
165	8.2	16.50*	1970	3.7	WF 20	DR 63S2	6.8	489	
190	7.5	14.33	1890	4.0	WA 20	DR 63S2	6.3	490	
265	5.6	10.25*	1710	4.5	WAF 20	DR 63S2	6.3	489	
332	4.6	8.20*	1590	4.4					
0.25	12	86	75.00*	3000	0.80	W 30	DT 71D6	11	491
	15	80	60.00*	3000	0.90	WF 30	DT 71D6	11	492
	27	53	32.50*	3000	1.30	WA 30	DT 71D6	10	493
	36	47	24.50*	3000	1.50	WAF 30	DT 71D6	11	492
	45	40	19.50*	3000	1.75				
	17	62	75.00*	3000	1.15				
	22	57	60.00*	3000	1.25				
	27	50	48.00*	3000	1.40				
	33	45	39.00*	3000	1.55				
	40	38	32.50*	3000	1.85	W 30	DR 63L4	9.8	491
	47	35	27.50*	3000	2.0	WF 30	DR 63L4	10	492
	53	33	24.50*	3000	2.1	WA 30	DR 63L4	9.5	493
	67	28	19.50*	3000	2.5	WAF 30	DR 63L4	9.8	492
	80	24	16.33	3000	2.5				
	91	22	14.33	3000	2.8				
	127	16	10.25*	3000	3.1				
	159	13	8.20*	3000	3.0				
	198	11	6.57	2940	3.6				
	109	17	24.50*	3000	4.2				
	136	14	19.50*	3000	5.0	W 30	DR 63M2	9.1	491
163	12	16.33	3000	5.0	WF 30	DR 63M2	9.4	492	
186	11	14.33	3000	5.5	WA 30	DR 63M2	8.8	493	
260	8.1	10.25*	2700	6.2	WAF 30	DR 63M2	9.1	492	
324	6.6	8.20*	2520	6.1					



P_m [kW]	n_a [1/min]	M_a [Nm]	i	$F_{Ra}^{1)}$ [N]	SEW f_B		m [kg]	
0.25	32	48	27.50*	2200	0.85			
	36	43	24.50*	2200	0.90			
	45	37	19.50*	2200	0.95			
	61	30	14.33	2200	1.00	W 20	DT 71D6	8.2 488
	86	23	10.25*	2200	1.10	WF 20	DT 71D6	8.4 489
	107	19	8.20*	2130	1.05	WA 20	DT 71D6	7.9 490
						WAF 20	DT 71D6	7.9 489
	134	15	6.57	2100	1.35			
	22	48	60.00*	2200	0.85			
	27	45	48.00*	2200	0.90			
	33	41	39.00*	2200	1.00			
	40	40	32.50*	2200	1.00			
	47	34	27.50*	2200	1.20	W 20	DR 63L4	7.3 488
	53	30	24.50*	2200	1.30	WF 20	DR 63L4	7.4 489
	67	26	19.50*	2200	1.35	WA 20	DR 63L4	7.0 490
79	23	16.50*	2200	1.30	WAF 20	DR 63L4	7.0 489	
91	21	14.33	2200	1.45				
127	16	10.25*	2050	1.60				
159	13	8.20*	1920	1.55				
198	11	6.57	1870	1.85				
82	21	32.50*	2200	1.95				
97	17	27.50*	2200	2.3				
109	16	24.50*	2150	2.6	W 20	DR 63M2	6.6 488	
136	13	19.50*	2020	2.6	WF 20	DR 63M2	6.8 489	
161	12	16.50*	1930	2.6	WA 20	DR 63M2	6.3 490	
186	11	14.33	1860	2.8	WAF 20	DR 63M2	6.3 489	
260	7.9	10.25*	1680	3.2				
324	6.5	8.20*	1570	3.1				
0.37	18	86	75.00*	3000	0.80			
	23	80	60.00*	3000	0.90			
	29	69	48.00*	3000	1.00			
	35	63	39.00*	3000	1.10			
	42	53	32.50*	3000	1.30			
	50	49	27.50*	3000	1.40	W 30	DT 71D4	11 491
	56	46	24.50*	3000	1.55	WF 30	DT 71D4	11 492
	71	39	19.50*	3000	1.80	WA 30	DT 71D4	10 493
	84	33	16.33	3000	1.80	WAF 30	DT 71D4	11 492
	96	30	14.33	3000	2.0			
	135	23	10.25*	3000	2.2			
	168	19	8.20*	3000	2.1			
	210	16	6.57	2840	2.6			
	108	25	24.50*	3000	2.8			
	136	21	19.50*	3000	3.4	W 30	DR 63L2	9.8 491
162	18	16.33	3000	3.4	WF 30	DR 63L2	10 492	
185	16	14.33	2940	3.7	WA 30	DR 63L2	9.5 493	
259	12	10.25*	2660	4.1	WAF 30	DR 63L2	9.8 492	
323	9.9	8.20*	2480	4.0				
50	47	27.50*	2200	0.85				
56	43	24.50*	2200	0.95				
71	37	19.50*	2190	0.95	W 20	DT 71D4	8.2 488	
84	32	16.50*	2110	0.95	WF 20	DT 71D4	8.4 489	
96	29	14.33	2070	1.00	WA 20	DT 71D4	7.9 490	
135	22	10.25*	1900	1.15	WAF 20	DT 71D4	7.9 489	
168	18	8.20*	1800	1.10				
210	15	6.57	1780	1.30				
108	23	24.50*	2030	1.70				
136	20	19.50*	1920	1.75	W 20	DR 63L2	7.3 488	
161	17	16.50*	1840	1.75	WF 20	DR 63L2	7.4 489	
185	16	14.33	1780	1.90	WA 20	DR 63L2	7.0 490	
259	12	10.25*	1630	2.1	WAF 20	DR 63L2	7.0 489	
323	9.6	8.20*	1530	2.1				


W..DR/DT
W..D.. [kW]

P_m [kW]	n_a [1/min]	M_a [Nm]	i	$F_{Ra}^{1)}$ [N]	SEW f_B		m [kg]	
0.55	49	74	27.50*	3000	0.95			
	56	69	24.50*	3000	1.00			
	83	50	16.33	3000	1.20	W 30	DT 80K4	12 491
	95	46	14.33	3000	1.30	WF 30	DT 80K4	13 492
	133	34	10.25*	3000	1.45	WA 30	DT 80K4	12 493
	166	28	8.20*	2910	1.40	WAF 30	DT 80K4	12 492
	207	24	6.57	2780	1.70			
	110	36	24.50*	3000	1.95			
	138	31	19.50*	3000	2.3	W 30	DT 71D2	11 491
	165	26	16.33	2930	2.3	WF 30	DT 71D2	11 492
	188	24	14.33	2830	2.5	WA 30	DT 71D2	10 493
	263	18	10.25*	2570	2.8	WAF 30	DT 71D2	11 492
	329	14	8.20*	2410	2.8			
0.75	110	34	24.50*	1830	1.20			
	138	29	19.50*	1750	1.20	W 20	DT 71D2	8.2 488
	164	25	16.50*	1700	1.20	WF 20	DT 71D2	8.4 489
	188	23	14.33	1660	1.30	WA 20	DT 71D2	7.9 490
	263	17	10.25*	1530	1.45	WAF 20	DT 71D2	7.9 489
	329	14	8.20*	1450	1.40			
	84	68	16.33	3000	0.90	W 30	DT 80N4	14 491
	96	61	14.33	3000	1.00	WF 30	DT 80N4	14 492
	135	46	10.25*	2940	1.10	WA 30	DT 80N4	13 493
168	38	8.20*	2780	1.05	WAF 30	DT 80N4	14 492	
210	32	6.57	2690	1.25				
1.1	98	53	27.50*	3000	1.30			
	110	49	24.50*	3000	1.40	W 30	DT 80K2	12 491
	165	36	16.33	2810	1.70	WF 30	DT 80K2	13 492
	188	32	14.33	2730	1.85	WA 30	DT 80K2	12 493
	263	24	10.25*	2500	2.1	WAF 30	DT 80K2	12 492
	329	20	8.20*	2350	2.0			
	98	78	27.50*	2830	0.90			
	110	72	24.50*	2780	0.95	W 30	DT 80N2	14 491
165	52	16.33	2600	1.15	WF 30	DT 80N2	14 492	
188	47	14.33	2550	1.25	WA 30	DT 80N2	13 493	
263	35	10.25*	2370	1.40	WAF 30	DT 80N2	14 492	
329	29	8.20*	2240	1.40				